

Signed by:  
*Purav Topiwala*

Signed by:  
*Kamal Prajapati*

## Sample PDF Document

Robert Maron  
Grzegorz Grudziński

February 20, 1999



# Contents

|          |                                                                                               |          |
|----------|-----------------------------------------------------------------------------------------------|----------|
| <b>1</b> | <b>Template</b>                                                                               | <b>5</b> |
| 1.1      | How to compile a .tex file to a .pdf file . . . . .                                           | 5        |
| 1.1.1    | Tools . . . . .                                                                               | 5        |
| 1.1.2    | How to use the tools . . . . .                                                                | 5        |
| 1.2      | How to write a document . . . . .                                                             | 6        |
| 1.2.1    | The main document . . . . .                                                                   | 6        |
| 1.2.2    | Chapters . . . . .                                                                            | 6        |
| 1.2.3    | Spell-checking . . . . .                                                                      | 6        |
| 1.3      | L <sup>A</sup> T <sub>E</sub> X and pdfL <sup>A</sup> T <sub>E</sub> X capabilities . . . . . | 7        |
| 1.3.1    | Overview . . . . .                                                                            | 7        |
| 1.3.2    | L <sup>A</sup> T <sub>E</sub> X . . . . .                                                     | 7        |
| 1.3.3    | pdfL <sup>A</sup> T <sub>E</sub> X . . . . .                                                  | 7        |
| 1.3.4    | Examples . . . . .                                                                            | 7        |



# Chapter 1

## Template

### 1.1 How to compile a .tex file to a .pdf file

#### 1.1.1 Tools

To process the files you (may) need:

- `pdflatex` (for example from `tetex` package  $\geq 0.9-6$ , which you can get from [Red Hat 5.2](#));
- `acroread` (a PDF viewer, available from <http://www.adobe.com/>);
- `ghostscript`  $\geq 5.10$  (for example from [Red Hat Contrib](#)) and `ghostview` or `gv` (from RedHat Linux);
- `efax` package could be useful, if you plan to fax documents.

#### 1.1.2 How to use the tools

Follow these steps:

1. put all source .tex files in one directory, then `chdir` to the directory (or put some of them in the `LATEX` search path — if you know how to do this);
2. run “`pdflatex file.tex`” on the main file of the document three times (three — to prepare valid table of contents);
3. to see or print the result use `acroread` (unfortunately some versions of `acroread` may produce PostScript which is too complex), or

4. run `ghostscript`: “`gv file.pdf`” to display or:  
“`gs -dNOPAUSE -sDEVICE=pswrite -q -dBATCHE -sOutputFile=file.ps file.pdf`”  
to produce a PostScript file;
5. run “`fax send phone-number file.ps`” as root to send a fax, or — if you know how to do this — modify the `fax` script to be able to fax `.pdf` files directly (you have to insert “ `|%PDF*`” somewhere...).

## 1.2 How to write a document

### 1.2.1 The main document

Choose the name of the document, say `document`. Copy `template.tex` to `document.tex`, then edit it, change the title, the authors and set proper `include(s)` for all the chapters.

### 1.2.2 Chapters

Each chapter should be included in the main document as a separate file. You can choose any name for the file, but we suggest adding a suffix to the name of the main file. For our example we use the file name `document_chapter1.tex`.

First, copy `template_chapter.tex` to `document_chapter1.tex` and add the line

```
\include{document_chapter1}
```

in the `document.tex`, then edit `document_chapter1.tex`, change the chapter title and edit the body of the chapter appropriately.

### 1.2.3 Spell-checking

*Do* use a spell-checker, please!

You may also want to check grammar, style and so on. Actually you should do it (if you have enough spare time). But you *must* check spelling!

You can use the `ispell` package for this, from within `emacs`, or from the command line:

```
ispell -t document_chapter1.tex
```

## 1.3 $\text{\LaTeX}$ and $\text{pdf}\text{\LaTeX}$ capabilities

### 1.3.1 Overview

First you edit your source `.tex` file. In  $\text{\LaTeX}$  you compile it using the `latex` command to a `.dvi` file (which stands for device-independent). The `.dvi` file can be converted to any device-dependent format you like using an appropriate driver, for example `dvips`.

When producing `.pdf` files you should use `pdflatex`, which produces directly `.pdf` files out of `.tex` sources. Note that in the `.tex` file you may need to use some PDF specific packages.

For viewing `.tex` files use your favourite text editor, for viewing `.dvi` files under X Window System use `xdvi` command, `.ps` files can be viewed with `gv` (or `ghostview`) and `.pdf` files with `acroread`, `gv` or `xpdf`.

### 1.3.2 $\text{\LaTeX}$

A lot of examples can be found in this document.

You should also print

- `doc/latex/general/latex2e.dvi` and
- `doc/latex/general/lshort2e.dvi`

from your `tetex` distribution (usually in

- `/usr/share/texmf` or
- `/usr/lib/texmf/texmf`).

### 1.3.3 $\text{pdf}\text{\LaTeX}$

Consult `doc/pdftex/manual.pdf` from your `tetex` distribution for more details. Very useful informations can be found in the `hyperref` and `graphics` package manuals:

- `doc/latex/hyperref/manual.pdf` and
- `doc/latex/graphics/grfguide.dvi`.

### 1.3.4 Examples

#### References

MIMUW

## Hyperlinks

This is a target.

And [this is a link](#).

## Dashes, etc.

There are three kinds of horizontal dash:

- - (use inside words; for example “home-page”, “X-rated”)
- – (use this one between numbers; for example “pages 2–22”)
- — (use this one as a sentence separator — like here)

## National characters

- ó, é, í, ...
- è, à, ì, ...
- ô, ê, ...
- ã, ñ, ...
- ö, ë, ...
- ž
- æ, ø
- ł, ø, ß

There are other ways to do this, see the documentation for `inputenc` package.

## Reserved characters

Some characters have some special meaning, thus cannot be entered in the usual way.

- \$ & % # \_ { }
- \
- ~ ^

**Math**

- $1^2, 1^{2n}, \dots$
- $i_1, i_{2n}, \dots$
- $\frac{1}{2}, \frac{2n}{2-3}, \dots$
- $\alpha, \beta, \gamma, \Omega, \dots$
- $\rightarrow, \Rightarrow, \geq, \neq, \in, \star, \dots$
- $\sqrt{2}, \dots$
- $\overline{2+2}, \dots$

For more examples and symbols see chapter 3 of `lshort2e.dvi`.

**Fonts**

- Roman
- *Emphasis*
- Medium weight — the default
- **Boldface**
- Upright
- *Slanted*
- Sans serif
- SMALL CAPS
- Typewriter
- and sizes:
  - tiny
  - scriptsize
  - footnotesize
  - small
  - normalsize

- large
- Large
- LARGE
- huge
- Huge

# Signature Certificate

Final Audit Report

2025-06-08

|              |                                           |
|--------------|-------------------------------------------|
| Package ID : | dp262-u0yes-dkudi-kwsy5                   |
| Created At : | 2025-06-08 00:00:00                       |
| By :         | Campus Login(clsecuresignature@gmail.com) |
| Status :     | Complete                                  |

## Signer History

| SIGNER DETAILS                                                                                                             | EVENTS                                                                                                                            |
|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <div>divyes</div> <div>divyesh@gmail.com</div> <div>IP : 219.91.180.195</div> <div>GUID : T4dy4i1Yp0YQ4a0REzl8haCjm</div>  | <div>Sent : 2025-06-08 14:51:30 GMT</div> <div>Viewed : 2025-06-08 14:51:36 GMT</div> <div>Signed : 2025-06-08 14:51:50 GMT</div> |
| <div>raj</div> <div>rajeshpatel@gmail.com</div> <div>IP : 219.91.180.195</div> <div>GUID : BidUalnu87gXaU5TLXvHpFXvM</div> | <div>Sent : 2025-06-08 14:51:30 GMT</div> <div>Viewed : 2025-06-08 14:51:59 GMT</div> <div>Signed : 2025-06-08 14:52:11 GMT</div> |